

Proper use of snares for capturing furbearers

William F. Andelt¹

Quick Facts

Snaring is an effective technique for capturing animals that cause economic damage and for harvesting furbearers.
Snares placed in trails or under fences can successfully capture furbearers.
Sites where snares are set should be carefully selected to avoid capturing nontarget animals such as deer and dogs.

Snaring is a useful technique for capturing animals that cause economic loss, such as coyotes that kill livestock and beaver that cut trees or plug irrigation ditches. Snaring also is becoming popular for harvesting surplus furbearers, which are one of our renewable natural resources. Snares are highly effective for capturing target animals, but when used improperly may capture nontarget animals such as deer and dogs. Snaring is the technique of setting a steel-cable loop in an animal's movement path and capturing the animal by the neck or leg. Snares usually consist of a 2.5-to 10-foot long piece of galvanized aircraft cable containing a slide lock that forms a loop in the cable (Figure 1). A swivel that prevents twisting and breaking of the cable should be attached to the end of the cable opposite the loop.

Snares present several advantages over steel leghold traps. They are lightweight, compact, simple in function, affected little by weather, easy to set, low in cost, and offer a high degree of trapper safety. In a south Texas study, snares were 10 times more selective for target species (coyotes and bobcats) than steel leghold traps. However, snares can be a greater hazard to livestock and some non-target species may be killed.

Snare Preparation

New commercial snares and extension cables can be cleaned by boiling in detergent and hanging outdoors for a few months until they turn a dull gray. Snares also can be changed to a dull gray by boiling each dozen snares in 4 tablespoons of baking soda for one hour. Darker snares can be obtained by boiling in brown logwood crystals and dye. After boiling, snares should be kept clean of foreign odors. Clean gloves should be worn when handling and setting snares.

How to Set Snares

Snares designed to capture furbearers by the neck or leg are set directly in the center of the animal's movement path. Snares usually are held in an animal's movement path with one of several different support systems. One support that works particularly well can be constructed from a 36inch piece of 12-gauge galvanized or 9-gauge soft wire. A "V" bend is made in the support wire about 4 inches from the end and is driven into the ground with a notched rod to prevent the support from moving in the wind. The snare is wrapped around the support about three times and is held in place by a "U" configuration formed in the upper end of the snare support. The snare cable just inside the lock should be bent upward slightly so that the snare loop is not closed by the wind. (See Figure 1.)

Snares should be attached to a solid object so that captured animals cannot escape. A steel ¹/₂inch diameter rebar, 24 to 30 inches long (depending on soil hardness), makes a good anchor. Snares should be attached to the rebar with a strong swivel to prevent tangling and breaking. A lead cable that is at least as strong as the snare cable can be used to attach short spares to the

¹William F. Andelt, Colorado State University Cooperative Extension wildlife specialist and assistant professor, fishery and wildlife biology; illustrations by Lynn Bjork (1/88)

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Kenneth R. Bolen, director of Cooperative Extension, Colorado State University, Fort Collins, Colorado. Cooperative Extension programs are available to all without discrimination. To simplify technical terminology, trade names of products and equipment occasionally will be used. No endorsement of products named is intended nor is criticism implied of products not mentioned.

rebar stake. Avoid using 9-gauge wire or several strands of 14-gauge wire to anchor snares to a rebar stake because they may bend back and forth, crystallize, and break. When used for beaver, snares also can be secured to a tree that is at least 6 inches in diameter or to the base of a large shrub such as a willow.

Snares set in holes under woven wire fences can be held in place about 1 to 2 inches from the fence with the snare support system described in Figure 1. The top of the snare can be as high as 3 inches above the bottom wire of the fence. The snare should be set far enough away from the fence to prevent the lock from catching on the bottom wire of the fence. Snares also can be held in place by clipping them to the bottom wire of the fence with a fine "U" shaped wire such as a 1.5inch piece of a paper clip that will allow the snare to easily release (Figure 2). The bottom of the loop should be about 2 inches above the bottom of the hole or coyotes and foxes may be caught by a front leg. With either of the above snare support systems, the snares can be anchored to the heavygauge wire on the bottom of the fence. The upper wires on a woven wire fence usually are too weak to secure a snare.

Snares occasionally are placed in the field but left unset for one to two weeks. This placement allows trappers to quickly set snares when pelts become prime and reduces human scent at the site.

Snares usually are set in the form of a round or oval loop. A round loop that is 12 inches in diameter can form an oval loop that is about 14 inches high and 10 inches wide. The following round loop diameters and heights above ground are recommended when snaring furbearers.

Furbearer	Type of set	Round loop diameter (inches)	Height of bottom of loop above ground (inches)
Covote	Trail	9-12. ••••	10-12
Coyote	Under Fence	7-10	2
Coyote	Leg Snare	8-11	4
Fox	Trail	8-10	6-9
Fox	Leg Snare	8-11	4
Bobcat	Trail	8-10	6-8
Raccoon	Trail	8-10	3-5
Beaver	Den, underwater	8-11	Cover bottom of loop slightly
Beaver	Dryland Trail	8-11	2-4
Beaver	Slide in water	8-11	Set bottom of loop 2 inches below water

A 5/64- or 3/32-inch diameter galvanized aircraft cable is recommended for snaring coyotes, beaver and raccoons. Foxes and bobcats can be captured in 1/16- to 3/32-inch diameter snares.

Where to Set Snares

Animals usually follow the easiest route through heavy cover. These routes, which generally consist of trails, are excellent locations to snare furbearers. Specific locations to set snares for individual species follow.

Beaver

Trails to uplands—place in water or on land along the route.

Trails over dams—set on top or bottom side of water.

Narrow creek passages.

Den entrances.

Construct a 2- to 3-inch high mound with mud and apply beaver castor. Make a "V" shaped fence by placing old branches vertically in the mud. The center of the "V" should be open. The "V" should point toward the mound and it should be located about 1 foot from the mound. Place the snare in the opening with the bottom of the snare about 2 inches below the water.

Under ice at lodges and food caches.

Coyotes and Red Foxes

Trails leading to a carcass, bone pile or pond. Trails in the bottom of ravines.

Trails under fences.

Trails into thickets.

Livestock trails in vacant pastures.

Narrow paths inside weeds or brush.

Trails can be created by driving down weeds or stubble with a pickup or by walking in snow.

Raccoon

Culvert—place lure inside.

Under bridges.

Holes under old buildings.

Along river banks next to water.

Along top of high banks next to a river.

Trail along the top of beaver dams—keep snare up to avoid beaver.

Avoid setting under fences and near trees and brush because raccoons can become entangled.

Checking Snares

Colorado Wildlife Commission regulations require that snares are visually inspected every 48 hours. However, all snares set near residential areas should be checked once every 24 hours, preferably early in the morning, to increase the probability of releasing non-target animals unharmed. UL

Methods to Avoid Capturing Non-target Animals

Sites where snares are set should be carefully selected to avoid capturing non-target animals.

1. Avoid setting snares on public lands where hunting dogs might be captured during the upland game bird seasons.

2. Avoid setting snares in pastures with livestock.

3. Avoid setting snares within 50 yards of animal carcasses to prevent capturing birds of prey and other scavengers.

4. Avoid setting snares within major deer, elk or antelope wintering areas. These big game animals are much less susceptible to leghold traps.

5. Avoid setting snares on any trails being used by deer, elk and other non-target animals. Attract predators and furbearers away from trails with specific baits and lures.

6. Avoid placing a stick horizontally over the trail to encourage deer to jump over or go around the snare. This method will encourage deer to lower their heads and become captured in the snare.

7. Avoid setting snares under fences where antelope, deer or dogs are using the "crawl space."

8. Although most dogs do not struggle a great deal in snares and most can be released uninjured, trappers should avoid setting snares near residences where dogs may be accidentally captured. Use a short snare cable to reduce injuries where accidentally captured dogs might jump over a fence or tree branch. Also avoid using entangling devices, which increase the chance of killing an animal, in areas where dogs may be captured.

9. Carry a catch pole to release dogs and other non-target wildlife.

10. Use the lightest snare lock possible, such as the Gregerson breakaway lock, to capture the desired animal. If deer, elk and antelope are captured by a leg, they usually can break a light lock but may be held by heavy homemade washer locks.

11. Avoid setting snares where people can readily view captured animals.

12. Place the location and number of snares on a map so that all can be found.

13. Remove all snares at the end of the season or when they cannot be checked frequently.

Snares are likely to remain a legal harvest tool and a legal depredation control device if they are not misused. There is no need to make a set that has high potential for capturing non-target animals. For example, most coyotes can be captured anywhere within their home range which usually averages 1.5 to 10 square miles in size. Thus, select areas where non-target animals will not be captured. Before setting snares, become familiar with state wildlife regulations, learn the proper techniques, and try to accompany a proficient snareperson while setting and checking snares. By all means, THINK before setting any snare. Responsible trappers have an obligation to the wildlife species as well as other trappers, so do your best to avoid problems when snaring.





Figure 2: A snare set in a hole under a livestock fence.

and the second sec