Colorado Medicaid Community Mental Health Services Program

FY 07-08 PIP VALIDATION REPORT

Coordination of Care Between Medicaid Physical and Behavioral Health Providers

for Colorado Health Partnerships, LLC

May 2008

This report was produced by Health Services Advisory Group, Inc. for the Colorado Department of Health Care Policy & Financing.



1600 East Northern Avenue, Suite 100 • Phoenix, AZ 85020

Phone 602.264.6382 • Fax 602.241.0757





for Colorado Health Partnerships, LLC

1.	Executive Summary	1-1
	Overview	1-1
	Summary of Study	1-1
	Study Topic	1-2
	Study Methodology	1-2
	Study Results	1-2
	Scoring	1-2
	Summary of Validation Findings	
	Conclusions	1-3
	Requirements	1-3
	Recommendations	1-3
2.	Scoring Methodology	2-1
	PIP Scores	
<i>3</i> .	Validation and Findings Summary	3-1
	Validations and Findings Summary	3-1
	Activity I. Appropriate Study Topic	3-1
	Activity II. Clearly Defined, Answerable Study Question	
	Activity III. Clearly Defined Study Indicator(s)	
	Activity IV. Use a Representative and Generalizable Study Population	
	Activities V Through X. Not Assessed	3-4
4.	FY 07–08 PIP Validation Tool	4-1

Appendices	
Introduction Appendices Cover	Page
Appendix A: Summary Form: Colorado Health Partnerships, LLC's Coordination of Care Between Medicaid Physical and Behavioral Health Providers	A-1
Appendix B: CMS Rationale by Activity	B-1
Appendix C: Definitions and Explanations by Activity	C-1





for Colorado Health Partnerships, LLC

Overview

The Balanced Budget Act of 1997 (BBA), Public Law 105-33, requires that states conduct an annual evaluation of their managed care organizations (MCOs) and prepaid inpatient health plans (PIHPs) to determine the MCOs' and PIHPs' compliance with federal regulations and quality improvement standards. According to the BBA, the quality of health care delivered to Medicaid consumers in MCOs and PIHPs must be tracked, analyzed, and reported annually. The Colorado Department of Health Care Policy & Financing (the Department) has contractual requirements with each MCO and behavioral health organization (BHO) to conduct and submit performance improvement projects (PIPs) annually.

As one of the mandatory external quality review activities under the BBA, the Department is required to validate the PIPs. To meet this validation requirement, the Department contracted with Health Services Advisory Group, Inc. (HSAG), as an external quality review organization. The primary objective of the PIP validation is to determine compliance with requirements set forth in the Code of Federal Regulations (CFR), at 42 CFR 438.240(b)(1), including:

- Measurement of performance using objective quality indicators.
- Implementation of system interventions to achieve improvement in quality.
- Evaluation of the effectiveness of the interventions.
- Planning and initiation of activities for increasing or sustaining improvement.

The Centers for Medicare & Medicaid Services (CMS) publication, *Validating Performance Improvement Projects: A Protocol for Use in Conducting Medicaid External Quality Review Activities*, Final Protocol, Version 1.0, May 1, 2002, was used in the evaluation and validation of the PIPs.

Summary of Study

Colorado Health Partnerships (CHP's) nonclinical PIP topic for the fiscal year (FY) 07–08 validation cycle was *Coordination of Care Between Medicaid Physical and Mental Health Providers*. The PIP's intent was to evaluate and improve coordination of care between Medicaid physical and behavioral health providers for consumers with a diagnosis of schizophrenia (ICD-9 codes 295.10, 295.20, 295.30, 295.60, and 295.90), schizoaffective disorder (ICD-9 code 295.70), or bipolar disorder (ICD-9 codes 296.0x, 296.40, 296.4x, 296.5x, 296.6x, and 296.7). The goal was to improve consumer health, functioning, and satisfaction with the health care delivery system by developing interventions that increase coordination of care and communication between providers. This study was assigned by the State of Colorado, Department of Healthcare Policy and Financing, and was a collaborative PIP across all BHOs.



Study Topic

CHP submitted *Coordination of Care Between Medicaid Physical and Mental Health Providers* as its statewide collaborative PIP. The focus of the study was consumers with a diagnosis of schizophrenia, schizoaffective disorder, or bipolar disorder. The study topic was relevant because this population represents a high-risk group that frequently has co-occurring medical conditions and is at higher risk of early death than the general population due to undiagnosed or untreated medical conditions.

The PIP's study question was: "Do targeted interventions improve coordination of care between physical and behavioral health providers for consumers with a diagnosis of schizophrenia (295.10, 295.20, 295.30, 295.60, and 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.4v, 296.5x, 296.6x, and 296.7)?"

Study Methodology

CHP's PIP had two study indicators for this submission. The study indicators were defined as follows:

- "The percentage of consumers with preventive or ambulatory medical office visits during the measurement period."
- "The percentage of the study population consumers with documentation of coordination of care in the behavioral health record."

Study Results

CHP completed Activities I through IV for this year's submission; therefore, there were no results to report.

Scoring

HSAG validates a total of 10 activities for each PIP. PIP validation takes place annually and reflects activities that have been completed. A health plan (BHO) may take up to three years to complete all 10 activities. Each activity consists of elements necessary for the successful completion of a valid PIP. Evaluation elements are the key CMS Protocol components for each activity that reflect the intent of what is being measured and evaluated. Some of the elements are critical elements and must be scored as *Met* to produce an accurate and reliable PIP. Given the importance of critical elements, any critical element that receives a *Not Met* score results in an overall PIP validation status of *Not Met*. If one or more critical elements are *Partially Met*, but none is *Not Met*, the PIP will be considered valid with low confidence. Revisions and resubmission of the PIP would be required.



Summary of Validation Findings

- For this review, four activities with a total of 18 elements were validated. Of this number:
 - 16 evaluation elements were *Met*.
 - 0 evaluation elements were *Partially Met*.
 - 0 evaluation elements were *Not Met*.
 - 2 evaluation elements were *Not Applicable (NA)*.
- The total number of <u>critical elements</u> that were evaluated equaled 7. Of this number:
 - 7 critical elements were *Met*.
 - 0 critical elements were *Partially Met*.
 - 0 critical elements were *Not Met*.
 - 0 critical elements were *NA*.

The final validation finding for **CHP's** PIP showed an overall score of 100 percent, a critical element score of 100 percent, and *Met* validation status.

Conclusions

This study successfully addressed CMS' requirement related to quality outcomes—specifically, quality of care and services. For the FY 07–08 validation cycle, the study addressed how improving coordination of care has the potential to improve consumer care and services. **CHP** has developed a strong study design with which to move forward.

Requirements

No requirements were identified during this review.

Recommendations

As plan-specific data that support the selection of the study topic become available, this information should be included in Activity I.

The information regarding the basis on which the study indicators were adopted was found in Activity I, and should also be documented in the description/rationale for each study indicator in Activity III. Future submissions of the PIP should specify that the study indicators were part of the statewide collaborative PIP in the description/rationale for each indicator.



2. Scoring Methodology

for Colorado Health Partnerships, LLC

Validating PIPs involves a review of the following 10 activities:

•	Activity I.	Appropriate Study Topic
•	Activity II.	Clearly Defined, Answerable Study Question
•	Activity III.	Clearly Defined Study Indicator(s)
•	Activity IV.	Use a Representative and Generalizable Study Population
•	Activity V.	Valid Sampling Techniques (If Sampling Was Used)
•	Activity VI.	Accurate/Complete Data Collection
•	Activity VII.	Appropriate Improvement Strategies
•	Activity VIII.	Sufficient Data Analysis and Interpretation
•	Activity IX.	Real Improvement Achieved
•	Activity X.	Sustained Improvement Achieved

All PIPs are scored as follows:

Met	(1) All critical elements were <i>Met</i>
	and
	(2) 80 percent to 100 percent of all critical and noncritical elements were
	Met. No action required.
Partially Met	(1) All critical elements were <i>Met</i>
	and 60 percent to 79 percent of all critical and noncritical elements were
	Met
	or
	(2) One critical element or more was <i>Partially Met</i> . Requires revision and
	resubmission of the PIP.
Not Met	(1) All critical elements were <i>Met</i>
	and less than 60 percent of all critical and noncritical elements were Met
	or
	(2) One critical element or more was <i>Not Met</i> . Requires revision and
	resubmission of the PIP.
NA	Not Applicable elements (including critical elements if they were not assessed)
	were removed from all scoring.



PIP Scores

For this PIP, HSAG reviewed Activities I through IV. Table 2-1 and Table 2-2 show **CHP's** scores based on HSAG's PIP evaluation of *Coordination of Care Between Medicaid Physical and Mental Health Providers*. Each activity has been reviewed and scored according to HSAG's validation methodology.

Table 2-1—FY 07–08 Performance Improvement Project Scores for Coordination of Care Between Medicaid Physical and Mental Health Providers for Colorado Health Partnerships, LLC

	Review Activity	Total Possible Evaluation Elements (Including Critical Elements)	Total Met	Total Partially Met	Total Not Met	Total <i>NA</i>	Total Possible Critical Elements	Total Critical Elements <i>Met</i>	Total Critical Elements Partially Met	Total Critical Elements Not Met	Total Critical Elements <i>NA</i>
I.	Appropriate Study Topic	6	6	0	0	0	1	1	0	0	0
II.	Clearly Defined, Answerable Study Question	2	2	0	0	0	1	1	0	0	0
III.	Clearly Defined Study Indicator(s)	7	5	0	0	2	3	3	0	0	0
IV.	Use a Representative and Generalizable Study Population	3	3	0	0	0	2	2	0	0	0
V.	Valid Sampling Techniques	6		Not A	ssessed		1		Not As	sessed	
VI.	Accurate/Complete Data Collection	11		Not A	ssessed		1	Not Assessed			
VII.	Appropriate Improvement Strategies	4		Not Assessed			No Critical Elements				
VIII.	Sufficient Data Analysis and Interpretation	9	Not Assessed		2	Not Assessed					
IX.	Real Improvement Achieved	4	Not Assessed		No Critical Elements						
X.	Sustained Improvement Achieved	1	Not Assessed			No Critical Elements					
	Totals for All Activities	53	16	0	0	2	11	7	0	0	0

Table 2-2—FY 07–08 Performance Improvement Project Overall Score for Coordination of Care Between Medicaid Physical and Mental Health Providers for Colorado Health Partnerships, LLC

Percentage Score of Evaluation Elements Met*	100%
Percentage Score of Critical Elements Met**	100%
Validation Status***	Met

- * The percentage score is calculated by dividing the total Met by the sum of the total Met, Partially Met, and Not Met.
- ** The percentage score of critical elements *Met* is calculated by dividing the total critical elements *Met* by the sum of the critical elements *Met*, *Partially Met*, and *Not Met*.
- *** Met equals confidence/high confidence that the PIP was valid.

 Partially Met equals low confidence that the PIP was valid.

 Not Met equals reported PIP results that were not valid.



3. Validation and Findings Summary for Colorado Health Partnerships

Validations and Findings Summary

This section summarizes the evaluation of the activities validated for the PIP. A description of the findings, strengths, requirements, and recommendations is outlined under each activity section. See Appendix B for a complete description of the CMS rationale for each activity.

The PIP's goal was to evaluate and improve coordination of care between Medicaid physical and behavioral health providers for consumers with a diagnosis of schizophrenia, schizoaffective disorder, or bipolar disorder. This population represents a high-risk group with frequent co-occurring conditions and multiple medical providers. This was a statewide collaborative PIP across all BHOs.

Activity I. Appropriate Study Topic

Study Topic

CHP submitted Coordination of Care Between Medicaid Physical Health and Mental Health Providers as its statewide collaborative PIP topic. The study topic was relevant because the population represents a high-risk group that frequently has co-occurring medical conditions and is at higher risk of early death due to these medical conditions being undiagnosed or untreated.

Finding(s)

All evaluation elements for this activity were *Met*, including one critical element.

Strength(s)

The study topic addressed a broad spectrum of care and services over time. All eligible consumers who met the study criteria were included, and the study did not exclude consumers with special health care needs such as schizophrenia, schizoaffective disorder, or bipolar disorder. The study topic had the potential to affect consumer health and functional status.

Requirement(s) (for Critical Elements)

There were no requirements identified for this activity during this review.

Recommendation(s) (for Noncritical Elements)

As plan-specific data that support the selection of the study topic becomes available, this information should be included in Activity I.



Activity II. Clearly Defined, Answerable Study Question

Study Question(s)

The PIP's study question was: "Do targeted interventions improve coordination of care between physical and behavioral health providers for consumers with a diagnosis of schizophrenia (295.10, 295.20, 295.30, 295.60, and 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.4x, 296.5x, 296.6x, and 296.7)?"

Finding(s)

All evaluation elements for this activity were *Met*, including one critical element.

Strength(s)

The study question stated the problem to be studied in simple terms, and was in the correct format to meet CMS Protocols.

Requirement(s) (for Critical Elements)

There were no requirements identified for this activity during this review.

Recommendation(s) (for Noncritical Elements)

There were no recommendations identified for this activity during this review.

Activity III. Clearly Defined Study Indicator(s)

Study Indicator(s)

CHP's PIP had two study indicators for this submission. The study indicators were:

- "The percentage of consumers with preventive or ambulatory medical office visits during the measurement period."
- "The percentage of the study population consumers with documentation of coordination of care in the behavioral health record."

Finding(s)

Five of the seven evaluation elements were *Met* for this activity, including three critical elements. Two elements were *Not Applicable* because the study indicators were not based on current, evidence-based practice guidelines, pertinent peer review literature, or consensus panels, and were not nationally recognized.



Strength(s)

The study indicators were well-defined, objective, and measurable. The study indicators allowed for the study question to be answered and measured changes in a valid process alternative.

Requirement(s) (for Critical Elements)

There were no requirements identified for this activity during this review.

Recommendation(s) (for Noncritical Elements)

The information regarding the basis on which the study indicators were adopted was found in Activity I, and should also be documented in the description/rationale for each study indicator in Activity III. Future submissions of the PIP should specify that the study indicators were part of the statewide collaborative PIP in the description/rationale for each indicator.

Activity IV. Use a Representative and Generalizable Study Population

Study Population

The PIP's study population was defined as all consumers with a diagnosis of schizophrenia, schizoaffective disorder, or bipolar disorder who received BHO services during the measurement period. Consumers had to be Medicaid-eligible and enrolled for at least 10 months with the same BHO during the measurement period. Consumers had to be at least 21 years of age as of the first day of the measurement period.

Finding(s)

All evaluation elements for this activity were *Met*, including two critical elements.

Strength(s)

The method for identifying the eligible populations was accurately and completely defined, included the required length of consumer enrollment, and captured all consumers to whom the study question applied.

Requirement(s) (for Critical Elements)

There were no requirements identified for this activity during this review.

Recommendation(s) (for Noncritical Elements)

There were no recommendations identified for this activity during this review.



Activities V Through X. Not Assessed

This study had not progressed to the point of baseline data collection. **CHP** will continue with the PIP process, and additional activities will be validated with the next submission of the PIP.



Section 4: Colorado FY 07-08 PIP Validation Tool:

Coordination of Care Between Medicaid Physical and Behavioral Health Providers for Colorado Health Partnership, LLC

	DEMOGRAPHIC INFORMATION					
Health Plan Name:	Colorado Health Partnership, LLC					
Study Leader Name:	Erica Arnold-Miller	Title:	Director of Quality Management			
Phone Number:	(719) 538-1450	E-mail Address:	erica.arnold-miller@valueoptions.co	m		
Name of Project/Study:	Coordination of Care Between Medicaid Physical	and Behavioral He	ealth Providers			
Type of Study:	Nonclinical					
Date of Study:	1/1/2007 to 12/31/2007					
Type of Delivery	ВНО	Number of Medi	caid Consumers in BHO:	142,850		
System:		Number of Medi	caid Consumers in Study:	2,724		
Year 1 Validation:	Initial Submission					
Results:						



		EVALUATION ELEMENTS	SCORING	COMMENTS					
Perf	orma	ance Improvement Project/Health Care Study Evaluation							
I.	prev	Appropriate Study Topic: Topics selected for the study should reflect the Medicaid enrollment in terms of demographic characteristics, prevalence of disease, and the potential consequences (risks) of the disease. Topics could also address the need for a specific service. The goal of the project should be to improve processes and outcomes of health care. The topic may be specified by the State Medicaid agency or on the basis of Medicaid consumer input.							
	1.	Reflects high-volume or high-risk conditions (or was selected by the State). NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	The study topic was selected for the statewide collaborative PIP and reflected a high-risk condition.					
	2.	Is selected following collection and analysis of data. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	The study topic was selected for the statewide collaborative PIP following the collection and analysis of data. The PIP documentation provided national data that supported the selection of the study topic. The PIP reported that Colorado Health Partnership, LLC (CHP) did not have any plan-specific data. Point of clarification: As plan-specific data that support the selection of the study topic become available, this information should be included in Activity I's write-up.					
	3.	Addresses a broad spectrum of care and services (or was selected by the State). The score for this element will be Met or Not Met.	✓ Met □ Partially Met □ Not Met □ NA	The study topic was selected for the statewide collaborative PIP and addressed a broad spectrum of care and services over time.					
	4.	Includes all eligible populations that meet the study criteria. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	All eligible consumers who met the study criteria were included.					
	5.	Does not exclude consumers with special health care needs. The score for this element will be Met or Not Met.	✓ Met □ Partially Met □ Not Met □ NA	The study did not exclude consumers with special health care needs as the PIP addressed consumers with Schizophrenia, Schizoaffective disorder, or Bipolar disorder.					

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



Critical

Elements**

1

Section 4: Colorado FY 07-08 PIP Validation Tool: Coordination of Care Between Medicaid Physical and Behavioral Health Providers for Colorado Health Partnership, LLC

EVALUATION ELEMENTS				SCORING	COMMENTS
Per	form	ance Improvement Project/Health Care Study Evaluation			
I.	pre of t	propriate Study Topic: Topics selected for the study shound valence of disease, and the potential consequences (risk he project should be to improve processes and outcomes is of Medicaid consumer input.	s) of the	disease. Topics could also addres	s the need for a specific service. The goal
C*	6.	Has the potential to affect consumer health, functional status, or satisfaction. The score for this element will be Met or Not Met.	✓ Met	☐ Partially Met ☐ Not Met ☐ NA	The study topic was selected for the statewide collaborative PIP and had the potential to affect consumer health and functional status.
		Results for Activity I # of Elements	-		

Not Applicable

0

Not Met

0

Met

6

Partially Met

0

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



	EVALUATION ELEMENTS			SCORING		COMMENTS
Per	form	ance Improvement Project/Health Care Study Evaluation				
II.		arly Defined, Answerable Study Question: Stating the stuection, analysis, and interpretation.	dy ques	tion(s) helps ma	intain the focus of	the PIP and sets the framework for data
	1.	States the problem to be studied in simple terms. NA is not applicable to this element for scoring.	✓ Met	☐ Partially Met	☐ Not Met ☐ NA	The study question stated the problem to be studied in simple terms and was in the correct format to meet CMS Protocols.
C*	2.	Is answerable. NA is not applicable to this element for scoring.	✓ Met	☐ Partially Met	☐ Not Met ☐ NA	The study question was answerable.
		Results for Activity II				

Results for Activity II						
	# of Elements					
Critical Elements**	Met	Partially Met	Not Met	Not Applicable		
1	2	0	0	0		

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS	SCORING	COMMENTS					
Per	orma	ance Improvement Project/Health Care Study Evaluation							
III.	Clearly Defined Study Indicator(s): A study indicator is a quantitative or qualitative characteristic or variable that reflects a discrete event (e.g., an older adult has not received a flu shot in the last 12 months) or a status (e.g., a consumer's blood pressure is or is not below a specified level) that is to be measured. The selected indicators should track performance or improvement over time. The indicators should be objective, clearly and unambiguously defined, and based on current clinical knowledge or health services research.								
C*	1.	Are well-defined, objective, and measurable. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	The study indicators were well-defined, objective, and measurable.					
	2.	Are based on current, evidence-based practice guidelines, pertinent peer review literature, or consensus expert panels.	☐ Met ☐ Partially Met ☐ Not Met ☑ NA	The study indicators were not based on current, evidence-based practice guidelines, pertinent peer review literature, or consensus expert panels.					
C*	3.	Allow for the study question to be answered. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	The study indicators allowed for the study question to be answered.					
	4.	Measure changes (outcomes) in health or functional status, consumer satisfaction, or valid process alternatives. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	The study indicators measured changes in a valid process alternative.					
C*	5.	Have available data that can be collected on each indicator. NA is not applicable to this element for scoring.	✓ Met □ Partially Met □ Not Met □ NA	There were data available to be collected on each study indicator.					
	6.	Are nationally recognized measures such as HEDIS specifications, when appropriate. The scoring for this element will be Met or NA.	☐ Met ☐ Partially Met ☐ Not Met ☑ NA	The study indicators were not nationally recognized measures.					

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



	EVALUATION ELEMENTS	SCORING	COMMENTS
Per	ormance Improvement Project/Health Care Study Evaluation		
III.	Clearly Defined Study Indicator(s): A study indicator is a quar an older adult has not received a flu shot in the last 12 month level) that is to be measured. The selected indicators should clearly and unambiguously defined, and based on current clir	s) or a status (e.g., a consumer's blood p track performance or improvement over t	ressure is or is not below a specified ime. The indicators should be objective,
	Includes the basis on which the indicator(s) was adopted, if internally developed.	✓ Met □ Partially Met □ Not Met □ NA	The basis on which the study indicators were developed was provided in the PIP documentation. Point of clarification: The information regarding the basis on which the study indicators were adopted was found in Activity I and should also be documented in the description/rationale for each study indicator in Activity III as the study moves forward. Also, future submissions of the PIP should state that the study indicators were part of the statewide collaborative PIP in the description/rationale for each indicator.

Results for Activity III				
# of Elements				
Critical Elements**	Met	Partially Met	Not Met	Not Applicable
3	5	0	0	2

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS		SCORIN	IG	COMMENTS
Per	erformance Improvement Project/Health Care Study Evaluation					
IV.	/. Use a representative and generalizable study population: The selected topic should represent the entire eligible Medicaid enrollment populat with systemwide measurement and improvement efforts to which the PIP study indicators apply.					e eligible Medicaid enrollment population
C*	1.	Is accurately and completely defined. NA is not applicable to this element for scoring.	✓ Met	☐ Partially Met	□ Not Met □ NA	The method for identifying the eligible populations was accurately and completely defined.
	2.	Includes requirements for the length of a consumer's enrollment in the BHO.	✓ Met	☐ Partially Met	□ Not Met □ NA	The method for identifying the eligible populations included the required length of consumer enrollment.
C*	3.	Captures all consumers to whom the study question applies. NA is not applicable to this element for scoring.	✓ Met	☐ Partially Met	□ Not Met □ NA	The method for identifying the eligible populations captured all consumers to whom the study question applied.
		Results for Activity IV				**

Results for Activity IV					
	# of Elements				
Critical Elements**	Met	Partially Met	Not Met	Not Applicable	
2	3	0	0	0	

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS	SCORING	COMMENTS				
Per	Performance Improvement Project/Health Care Study Evaluation							
V.	pro	Valid Sampling Techniques: (This activity is only scored if sampling was used.) If sampling is to be used to select consumers of the study, proper sampling techniques are necessary to provide valid and reliable information on the quality of care provided. The true prevalence or incidence rate for the event in the population may not be known the first time a topic is studied.						
	1.	Consider and specify the true or estimated frequency of occurrence.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				
	2.	Identify the sample size.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				
	3.	Specify the confidence level.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				
	4.	Specify the acceptable margin of error.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				
C*	5.	Ensure a representative sample of the eligible population.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				
	6.	Are in accordance with generally accepted principles of research design and statistical analysis.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.				

Results for Activity V					
# of Elements					
Critical Elements**	Met	Partially Met	Not Met	Not Applicable	
1	0	0	0	0	

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



EVALUATION ELEMENTS			SCORING	COMMENTS
Per	orm	ance Improvement Project/Health Care Study Evaluation		
VI.		urate/Complete Data Collection: Data collection must ens cation of the accuracy of the information obtained. Reliab		
	1.	Clearly defined data elements to be collected. NA is not applicable to this element for scoring.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	2.	Clearly identified sources of data. NA is not applicable to this element for scoring.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	3.	A clearly defined and systematic process for collecting data that includes how baseline and remeasurement data will be collected.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
		NA is not applicable to this element for scoring.		
	4.	A timeline for the collection of baseline and remeasurement data. NA is not applicable to this element for scoring.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	5.	Qualified staff and personnel to abstract manual data.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
C*	6.	A manual data collection tool that ensures consistent and accurate collection of data according to indicator specifications.	☐ Met ☐ Partially Met ☐ Not Met ☐ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	7.	A manual data collection tool that supports interrater reliability.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	8.	Clear and concise written instructions for completing the manual data collection tool.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	9.	An overview of the study in written instructions.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



	EVALUATION ELEMENTS		SCORING		COMMENTS	
Pe	form	ance Improvement Project/Health Care Study Evaluation				
VI.		Accurate/Complete Data Collection: Data collection must ensure that the data collected on the PIP indicators are valid and reliable. Validity is an indication of the accuracy of the information obtained. Reliability is an indication of the repeatability or reproducibility of a measurement.				
	10.	Administrative data collection algorithms/flow charts that show activities in the production of indicators.	☐ Met ☐ Partially Met	■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.	
	11.	An estimated degree of administrative data completeness. Met = 80 - 100% Partially Met = 50 - 79% Not Met = <50% or not provided	■ Met ■ Partially Met	■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.	

	Results for Activity VI				
	# of Elements				
Critical Elements**	Met	Partially Met	Not Met	Not Applicable	
1	0	0	0	0	

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS	SCORING	COMMENTS
Per	form	ance Improvement Project/Health Care Study Evaluation		
VII.	perf	propriate Improvement Strategies: Real, sustained improve formance, and developing and implementing systemwide itutional, practitioner, or consumer level.		
	1.	Related to causes/barriers identified through data analysis and quality improvement processes. NA is not applicable to this element for scoring.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	2.	System changes that are likely to induce permanent change.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	3.	Revised if the original interventions were not successful.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	4.	Standardized and monitored if interventions were successful.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.

Results for Activity VII					
	# of Elements				
Critical Elements**	Met	Partially Met	Not Met	Not Applicable	
0	0	0	0	0	

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS	SCORING	COMMENTS
Perf	orm	ance Improvement Project/Health Care Study Evaluation		
VIII.		ficient Data Analysis and Interpretation: Describe the data statistical analysis techniques used.	a analysis process on the selected clinical	or nonclinical study indicators. Include
C*	1.	Is conducted according to the data analysis plan in the study design. NA is not applicable to this element for scoring.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
C*	2.	Allows for the generalization of results to the study population if a sample was selected. If no sampling was performed, this element is scored NA.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	3.	Identifies factors that threaten internal or external validity of findings.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	4.	Includes an interpretation of findings.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	5.	Is presented in a way that provides accurate, clear, and easily understood information.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	6.	Identifies initial measurement and remeasurement of study indicators.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	7.	Identifies statistical differences between initial measurement and remeasurement.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	8.	Identifies factors that affect the ability to compare initial measurement with remeasurement.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.
	9.	Includes interpretation of the extent to which the study was successful.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



EVALUATION ELEMENTS	SCORING	COMMENTS
Performance Improvement Project/Health Care Study Evaluation		

Results for Activity VIII						
	# of Elements					
Critical Elements**	Met	Partially Met	Not Met	Not Applicable		
2	0	0	0	0		

^{* &}quot;C" in this column denotes a critical evaluation element.

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



		EVALUATION ELEMENTS	SCORING	COMMENTS			
Per	erformance Improvement Project/Health Care Study Evaluation						
IX.		I Improvement Achieved: Describe any meaningful chang cuss any random year-to-year variation, population chang					
	1.	Remeasurement methodology is the same as baseline methodology.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.			
	2.	There is documented improvement in processes or outcomes of care.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.			
	3.	The improvement appears to be the result of planned intervention(s).	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.			
	4.	There is statistical evidence that observed improvement is true improvement.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.			

Results for Activity IX						
# of Elements						
Critical Elements**	Met	Partially Met	Not Met	Not Applicable		
0	0	0	0	0		

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



EVALUATION ELEMENTS		EVALUATION ELEMENTS	SCORING	COMMENTS	
Per	form	ance Improvement Project/Health Care Study Evaluation			
X.		tained Improvement Achieved: Describe any demonstrate cuss any random year-to-year variation, population chang			
	1.	Repeated measurements over comparable time periods demonstrate sustained improvement, or that a decline in improvement is not statistically significant.	■ Met ■ Partially Met ■ Not Met ■ NA	Not assessed. Collaborative PIPs were validated only through Activity IV for this year's validation.	

Results for Activity X							
	# of Elements						
Critical Elements**	Met	Partially Met	Not Met	Not Applicable			
0	0	0	0	0			

^{**} This number is a tally of the total number of critical evaluation elements for this review activity.



Table 4-1—FY 07-08 PIP Validation Report Scores: Coordination of Care Between Medicaid Physical and Behavioral Health Providers for Colorado Health Partnership, LLC

for Colorado Health Partnership, LLC										
Review Activity	Total Possible Evaluation Elements (Including Critical Elements)	Total Met	Total Partially Met		Total NA	Total Possible Critical Elements	Total Critical Elements Met	Total Critical Elements Partially Met	Total Critical Elements Not Met	Total Critical Elements NA
I. Appropriate Study Topic	6	6	0	0	0	1	1	0	0	0
II. Clearly Defined, Answerable Study Question	2	2	0	0	0	1	1	0	0	0
III. Clearly Defined Study Indicator(s)	7	5	0	0	2	3	3	0	0	0
IV. Use a representative and generalizable study population	3	3	0	0	0	2	2	0	0	0
V. Valid Sampling Techniques	6		Not Ass	essed		1	Not Assessed			
VI. Accurate/Complete Data Collection	11		Not Ass	essed		1		Not As	ssessed	
VII. Appropriate Improvement Strategies	4		Not Ass	essed		0		No Critica	al Elements	
VIII. Sufficient Data Analysis and Interpretation	9		Not Ass	essed		2	Not Assessed			
IX. Real Improvement Achieved	4		Not Ass	essed		0	No Critical Elements			
X. Sustained Improvement Achieved	1		Not Ass	essed		0	No Critical Elements			
Totals for All Activities	53	16	0	0	2	11	7	0	0	0

Table 4-2—FY 07-08 PIP Validation Report Overall Scores:		
Coordination of Care Between Medicaid Physical and Behavioral Health Providers		
for Colorado Health Partnership, LLC		
Percentage Score of Evaluation Elements Met* 100%		
Percentage Score of Critical Elements Met**		
Validation Status***	Met	

- * The percentage score is calculated by dividing the total Met by the sum of the total Met, Partially Met, and Not Met.
- The percentage score of critical elements Met is calculated by dividing the total critical elements Met by the sum of the critical elements Met, Partially Met, and Not Met.
- *** Met equals confidence/high confidence that the PIP was valid.
 Partially Met equals low confidence that the PIP was valid.
 Not Met equals reported PIP results that were not credible.



Section 4: Colorado FY 07-08 PIP Validation Tool:

Coordination of Care Between Medicaid Physical and Behavioral Health Providers for Colorado Health Partnership, LLC

	EVALUATION O	F THE OVERALL VALIDITY AND	RELIABILITY OF PIP RESULTS		
	HSAG assessed the implications of the study's findings on the likely validity and reliability of the results based on CMS Protocols. HSAG also assessed whether the State should have confidence in the reported PIP findings.				
*Met =	Confidence/high confide	nce in reported PIP results			
**Partially Met =	Low confidence in report	ed PIP results			
***Not Met =	Reported PIP results not	credible			
		Summary of Aggregate Valida	ation Findings		
	* X Met	** Partially Met	*** Not Met		
	on the validation findinere assessed for this PIP Va	•	on of this PIP, HSAG's assessment determin	ned high confidence in the	



Appendices

for Colorado Health Partnerships, LLC

Introduction

The appendices consist of documentation supporting the validation process conducted by HSAG using the CMS Protocol for validating PIPs. Appendix A is the study CHP submitted to HSAG for review, Appendix B is the CMS rationale for each activity, and Appendix C includes PIP definitions and explanations.

- Appendix A: Colorado Health Partnerships, LLC's PIP Study: Coordination of Care Between Medicaid Physical Health and Mental Health Providers
- Appendix B: CMS Rationale by Activity
- Appendix C: Definitions and Explanations by Activity



		DEMOGRAPH	HIC INFORMATION
BHO Name or ID:	Colorado Health Partnerships		
Study Leader Name:	Erica Arnold-Miller	Title:	Director of Quality Management
Telephone Number:	<u>(719) 538-1450</u>	E-Mail Addre	ess: erica.arnold-miller@valueoptions.com
Name of Project/Study	: Care Coordination Between Behavioral	Health and Ph	ysical Health Providers
Type of Study:	☐ Clinical No.	nclinical	
142,850 approximate M Consumers Approximately 2,724 (Study	Medicaid Eligible Consumers Number of FY07 data) Number of Medicaid C		Section to be completed by HSAG XYear 1 ValidationXInitial SubmissionResubmission Year 2 ValidationInitial SubmissionResubmission Year 3 ValidationInitial SubmissionResubmission
			Section to be completed by HSAG X Baseline Assessment Remeasurement 1 Remeasurement 2 Remeasurement 3



A. Activity I: Choose the study topic. PIP topics should target improvement in relevant areas of services and reflect the population in terms of demographic characteristics, prevalence of disease, and the potential consequences (risks) of the disease. Topics may be derived from utilization data (ICD-9 or CPT coding data related to diagnoses and procedures; NDC codes for medications; state HCPC codes for medications, medical supplies, and medical equipment; adverse events; admissions; readmissions; etc.); grievances and appeals data; survey data; provider access or appointment availability data; consumer characteristics data such as race/ethnicity/language; other fee-for-service data; local or national data related to Medicaid risk populations; etc. The goal of the project should be to improve processes and outcomes of health care or services in order to have a potentially significant impact on consumer health, functional status, or satisfaction. The topic may be specified by the State Medicaid agency or CMS and be based on input from consumers. Over time, topics must cover a broad spectrum of key aspects of consumer care and services, including clinical and nonclinical areas, and should include all enrolled populations (i.e., certain subsets of consumers should not be consistently excluded from studies).

Study topic:

The intent of this study is to evaluate and improve coordination of care between Medicaid physical and behavioral health providers for consumers who are receiving BHO services, and are diagnosed with schizophrenia, schizoaffective disorder, or bipolar disorder. This population represents a high-risk group who frequently has co-occurring medical conditions, and is at higher risk of early death due to their medical conditions being undiagnosed or untreated, complications from medications associated with their conditions, and behaviors associated with their mental health conditions.

Individuals with severe mental illness often have co-morbid medical conditions and see multiple medical providers. The 2003 Presidents New Freedom Commission report states that a "chasm exists between the mental health and general health care systems in financing and practice" (pg 21). As cited in the technical report, Morbidity and Mortality in People with Serious Mental Illness, October 2006, published by the National Association of State Mental Health Program Directors Medical Directors Council, consumers who have a serious mental illness are now dying 25 years earlier than the general population.

This study, assigned by the State of Colorado, Department of Healthcare Policy and Financing, is a collaborative, state-wide study designed to achieve the overall goal of improving consumer health, functioning, and satisfaction with the health care delivery system by coordinating care with physical health providers. The study will evaluate the percentage of this population receiving mental health services that have also had a visit with a physical health provider over the past year; and whether there is documentation in the clinical record of communication between the physical and mental health providers for those receiving services. Baseline information will be collected and evaluated, and interventions developed, as appropriate to each BHO, to increase the number of consumers receiving physical health care, as well as to increase communication between physical and mental health providers, resulting in improved continuity of physical and behavioral health care over time.



A. Activity I: Choose the study topic. PIP topics should target improvement in relevant areas of services and reflect the population in terms of demographic characteristics, prevalence of disease, and the potential consequences (risks) of the disease. Topics may be derived from utilization data (ICD-9 or CPT coding data related to diagnoses and procedures; NDC codes for medications; state HCPC codes for medications, medical supplies, and medical equipment; adverse events; admissions; readmissions; etc.); grievances and appeals data; survey data; provider access or appointment availability data; consumer characteristics data such as race/ethnicity/language; other fee-for-service data; local or national data related to Medicaid risk populations; etc. The goal of the project should be to improve processes and outcomes of health care or services in order to have a potentially significant impact on consumer health, functional status, or satisfaction. The topic may be specified by the State Medicaid agency or CMS and be based on input from consumers. Over time, topics must cover a broad spectrum of key aspects of consumer care and services, including clinical and nonclinical areas, and should include all enrolled populations (i.e., certain subsets of consumers should not be consistently excluded from studies).

The study will focus on adult consumers (age 21 and older) with the following primary diagnoses: schizophrenia (295.10, 295.20, 295.30, 295.60, and 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.4x, 296.5x, 296.6x, and 296.7). During fiscal year 2007, CHP treated 2,724 consumers with these primary diagnoses, as follows:

- 37.4% (1018) were diagnosed with bipolar disorder
- 36.5% (995) were diagnosed with schizophrenia
- 26.1% (711) were diagnosed with schizoaffective disorder

Of those in treatment, 53% were female and 47% were male, with the following age ranges:

- 21-30 18.4%
- 31-40 19.2%
- 41-50 27.4%
- 51+ 35.1%

Coordination of care efforts are periodically monitored throughout the BHO through chart audits and other processes. However no data is currently available to the BHO that indicates whether a physical healthcare visit has occurred. The availability of that data through this study will assure a more systematic method to evaluate whether communication between physical and behavioral healthcare providers is occurring.



B. Activity II: Define the study question(s). Stating the question(s) helps maintain the focus of the PIP and sets the framework for data collection, analysis, and interpretation.

Study question:

Do targeted interventions improve coordination of care between physical and behavioral health providers for consumers with a diagnosis of schizophrenia (295.10, 295.20, 295.30, 295.60, and 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.4x, 296.5x, 296.6x, and 296.7)?



C. Activity III: Select the study indicator(s). A study indicator is a quantitative or qualitative characteristic or variable that reflects a discrete event (e.g., an older adult has not received an influenza vaccination in the last twelve months), or a status (e.g., a consumer's blood pressure is/is not below a specified level) that is to be measured. The selected indicators should track performance or improvement over time. The indicators should be objective, clearly and unambiguously defined, and based on current clinical knowledge or health services research.

Study Indicator 1	Describe rationale for selection of study indicator:
	The percentage of consumers with preventive or ambulatory medical office visit during the measurement period.
Numerator	The number of consumers defined in the denominator with at least one preventive or ambulatory medical visit during the measurement period. Acceptable CPT, HCPSC, ICD-9 or UB-92 codes are defined by HEDIS in Table AAP-A with the exception of the ophthalmology and optometry CPT codes. (See attachment).
Denominator The number of consumers at least 21 years of age as of the first day of the measurement period one BHO outpatient claim in the measurement period containing a schizophrenia (295.10, 295.10, 295.60, 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.40, 296.4x, 296.7) diagnosis. Consumers must be Medicaid eligible and enrolled at least ten months with the during the measurement period.	
First Measurement Period Dates	Calendar year 2007.
	Note: Exact baseline dates have not been confirmed between the BHOs and the Department. CY07 is a proposed baseline measurement period.
Benchmark None. Benchmark is not available.	
Source of Benchmark N/A	
Baseline Goal	Establish baseline.



C. Activity III: Select the study indicator(s). A study indicator is a quantitative or qualitative characteristic or variable that reflects a discrete event (e.g., an older adult has not received an influenza vaccination in the last twelve months), or a status (e.g., a consumer's blood pressure is/is not below a specified level) that is to be measured. The selected indicators should track performance or improvement over time. The indicators should be objective, clearly and unambiguously defined, and based on current clinical knowledge or health services research.

	· · · · · · · · · · · · · · · · · · ·
Study Indicator 2	Describe rationale for selection of study indicator:
	The percentage of the study population consumers with documentation of coordination of care in the behavioral health record.
Numerator The number of consumers whose behavioral health provider documented coordination of care with health provider in the behavioral health record during the measurement period.	
Denominator	A statistically valid, random sample of consumers at least 21 years of age as of the first day of the measurement period with a diagnosis of schizophrenia (295.10, 295. 20, 295.30, 295.60, 295.90), schizoaffective disorder (295.70), or bipolar disorder (296.0x, 296.4v, 296.4x, 296.5x, 296.6x, 296.7 with at least one preventive or ambulatory visit during the measurement period. Acceptable CPT, HCPSC, ICD-9 or UB-92 codes are defined by HEDIS in Table AAP-A excluding the ophthalmology and optometry CPT codes. (See attachment). Consumers must be Medicaid eligible and enrolled at least ten months with the same BHO during the measurement period.
First Measurement Period Dates	Calendar year 2007? (if complete data would be available to the BHO by May 1, 2008)
Benchmark	None. Benchmark is not available.
Source of Benchmark	N/A
Baseline Goal	Establish baseline.

Use this area for the provision of additional information:



D. Activity IV: Use a representative and generalizable study population. The selected topic should represent the entire Medicaid enrolled population, with system wide measurement and improvement efforts to which the study indicators apply. Once the population is identified, a decision must be made whether to review data for the entire population or a sample of that population. The length of a consumer's enrollment needs to be defined in order to meet the study population criteria.

Study population:

This study would include all consumers with a diagnosis of schizophrenia (295.10, 295.20, 295.30, 295.60, 295.90), schizoaffective disorder (295.70) or bipolar disorder (296.0x, 296.4x, 296.5x, 296.6x, 296.6x, 296.7 who received BHO services during the measurement time period. Consumers must be Medicaid eligible and enrolled at least ten months with the same BHO during the measurement period. Consumers must be at least 21 years of age as of the first day of the measurement period.

Preventive or ambulatory medical visits are identified using acceptable CPT, HCPSC, ICD-9 or UB-92 codes defined by HEDIS in Table AAP-A, with the exception of the ophthalmology and optometry CPT codes. (See attachment).

The study population is identified as the denominator for both study indicators.

Study Indicator #1: The entire identified population will be used.

<u>Study Indicator #2</u>: A statistically valid random sample of the identified population will be used.



E. Activity V: Use sound sampling methods. If sampling is to be used to select consumers of the study, proper sampling techniques are necessary to provide valid and reliable information on the quality of care provided. The true prevalence or incidence rate for the event in the population may not be known the first time a topic is studied.

Measure	Sample Error and Confidence Level	Sample Size	Population	Method for Determining Size (describe)	Sampling Method (describe)



Appendix A: PIP Summary Form: Coordination of Care Between Medicaid Physical and Behavioral Health Providers

for Colorado Health Partnerships, LLC

F. Activity VIa: Use valid and reliable data collection procedures. Data collection must ensure that the data collected on study indicators are valid and reliable. Validity is an indication of the accuracy of the information obtained. Reliability is an indication of the repeatability or reproducibility of a measurement. **Data Sources** [] Administrative Data [] Hybrid (medical/treatment records and administrative) **Data Source** 1 Medical/Treatment Record Abstraction [] Programmed pull from claims/encounters Record Type [] Complaint/appeal [] Outpatient [] Pharmacy data [] Inpatient [] Telephone service data /call center data [] Other _____ [] Appointment/access data Delegated entity/vendor data Other Requirements Other _____ 1 Data collection tool attached Other Requirements [] Data collection instructions attached [] Data completeness assessment attached [] Summary of data collection training attached [] Coding verification process attached [] IRR process and results attached [] Survey Data [] Other data Fielding Method [] Personal interview [] Mail [] Phone with CATI script [] Phone with IVR [] Internet Description of data collection staff (include training, [] Other _____ experience and qualifications): Other Requirements

[] Number of waves ______[] Response rate _____[] Incentives used _____



Appendix A: PIP Summary Form: Coordination of Care Between Medicaid Physical and Behavioral Health Providers

for Colorado Health Partnerships, LLC

F. Activity VIb: Determine the data collection cycle.	Determine the data analysis cycle.
[] Once a year [] Once a season [] Once a quarter [] Once a month [] Once a week [] Once a day [] Continuous [] Other (list and describe):	[] Once a year [] Once a season [] Once a quarter [] Once a month [] Continuous [] Other (list and describe):
F. Activity VIc. Data analysis plan and other pertinent methodological Estimated percentage degree of administrative data completene Supporting documentation:	• •



G. Activity VIIa: Include improvement strategies (interventions for improvement as a result of analysis). List chronologically the interventions that have had the most impact on improving the measure. Describe only the interventions and provide quantitative details whenever possible (e.g., "Hired four customer service representatives" as opposed to "Hired customer service representatives"). Do not include intervention planning activities.

Date Implemented (MMYY)	Check if Ongoing	Interventions	Barriers That Interventions Address



G. Activity VIIb: Implement intervention and improvement strategies. Real, sustained improvements in care result from a continuous cycle of
measuring and analyzing performance, and developing and implementing systemwide improvements in care. Describe interventions designed to
change behavior at an institutional, practitioner, or consumer level.
Describe interventions:

onango ponantor at an monataria, praestitorio, er concamo foren
Describe interventions:
Baseline to Remeasurement 1:
Remeasurement 1 to Remeasurement 2:
Remeasurement 2 to Remeasurement 3:



H. Activity VIIIa. Data analysis: Describe the data analysis process in accordance with the analysis plan and any ad hoc analysis done on the selected clinical or nonclinical study indicators. Include the statistical analysis techniques used and *p* values.

Data analysis process:
Baseline Measurement:
Remeasurement 1:
Remeasurement 2:
Remeasurement 3:



H. Activity VIIIb. Interpretation of study results: Describe the results of the statistical analysis, interpret the findings, discuss the successfulness of the study, and indicate follow-up activities. Also, identify any factors that could influence the measurement or validity of the findings.

nterpretation of study results: Address factors that threaten internal or external validity of the findings for each measurement period.	
Baseline Measurement:	
Remeasurement 1:	
Remeasurement 2:	
Remeasurement 3:	



I. Activity IX: Report improvement. Describe any meaningful change in performance observed and demonstrated during baseline measurement.

Quantifiable Measure No. 1:

Time Period Measurement Covers	Baseline Project Indicator Measurement	Numerator	Denominator	Rate or Results	Industry Benchmark	Statistical Test and Significance* Test statistic and p-value
	Baseline:					
	Remeasurement 1					
	Remeasurement 2					
	Remeasurement 3					
	Remeasurement 4					
	Remeasurement 5					

Quantifiable Measure No. 2:

Time Period Measurement Covers	Baseline Project Indicator Measurement	Numerator	Denominator	Rate or Results	Industry Benchmark	Statistical Test and Significance* Test statistic and p-value
	Baseline:					
	Remeasurement 1					
	Remeasurement 2					
	Remeasurement 3					
	Remeasurement 4					
	Remeasurement 5					



I. Activity IX: Report improvement. Describe any meaningful change in performance observed and demonstrated during baseline measurement.

Quantifiable Measure No. 3:

Time Period Measurement Covers	Baseline Project Indicator Measurement	Numerator	Denominator	Rate or Results	Industry Benchmark	Statistical Test and Significance* Test statistic and p-value
	Baseline:					
	Remeasurement 1					
	Remeasurement 2					
	Remeasurement 3					
	Remeasurement 4					
	Remeasurement 5					

^{*} Specify the test, *p* value, and specific measurements (e.g., baseline to remeasurement 1, remeasurement #1 to remeasurement 2, etc., or baseline to final remeasurement) included in the calculations.



J. Activity X: Describe sustained improvement. Describe any demonstrated improvement through repeated measurements of	ver comparable
time periods. Discuss any random year-to-year variation, population changes, sampling error, or statistically significant decline	es that may have
occurred during the remeasurement process	

3		
Sustained improvement:		



Appendix B. CMS Rationale by Activity for Colorado Health Partnerships, LLC

PIPs provide a structured method of assessing and improving the processes, and thereby the outcomes, of care for the population that a BHO serves. This structure facilitates the documentation and evaluation of improvements in care or service. PIPs are conducted by the BHOs to assess and improve the quality of clinical and nonclinical health care services received by consumers.

The PIP evaluation is based on CMS guidelines as outlined in the CMS publication, *Validating Performance Improvement Projects: A Protocol for Use in Conducting Medicaid External Quality Review Activities*, Final Protocol, Version 1.0, May 1, 2002 (CMS PIP Protocol).

This document highlights the rationale for each activity as established by CMS. The protocols for conducting PIPs can assist the BHOs in complying with requirements.

CMS Rationale

Activity I. Appropriate Study Topic

All PIPs should target improvement in relevant areas of clinical care and nonclinical services. Topics selected for study by Medicaid managed care organizations must reflect the BHO's Medicaid enrollment in terms of demographic characteristics, prevalence of disease, and the potential consequences (risks) of disease (CMS PIP Protocol, page 2).

Activity II. Clearly Defined, Answerable Study Question

It is important for the BHO to clearly state, in writing, the question(s) the study is designed to answer. Stating the question(s) helps maintain the focus of the PIP and sets the framework for data collection, analysis, and interpretation (CMS PIP Protocol, page 5).

Activity III. Clearly Defined Study Indicator(s)

A study indicator is a quantitative or qualitative characteristic (variable) reflecting a discrete event (e.g., an older adult has/has not received an influenza vaccination in the last 12 months) or a status (e.g., a consumer's blood pressure is/is not below a specified level) that is to be measured.

Each project should have one or more quality indicators for use in tracking performance and improvement over time. All indicators must be objective, clearly and unambiguously defined, and based on current clinical knowledge or health services research. In addition, all indicators must be capable of objectively measuring either consumer outcomes, such as health status, functional status, or consumer satisfaction, or valid proxies of these outcomes.



Indicators can be few and simple, many and complex, or any combination thereof, depending on the study question(s), the complexity of existing practice guidelines for a clinical condition, and the availability of data and resources to gather the data.

Indicator criteria are the set of rules by which the data collector or reviewer determines whether an indicator has been met. Pilot or field testing is helpful in the development of effective indicator criteria. Such testing allows the opportunity to add criteria that might not have been anticipated in the design phase. In addition, criteria are often refined over time based on results of previous studies. However, if criteria are changed significantly, the method for calculating an indicator will not be consistent and performance on indicators will not be comparable over time.

It is important, therefore, for indicator criteria to be developed as fully as possible during the design and field testing of data collection instruments (CMS PIP Protocol, page 5).

Activity IV. Use a Representative and Generalizable Study Population

Once a topic has been selected, measurement and improvement efforts must be systemwide (i.e., each project must represent the entire Medicaid-enrolled population to which the study indicators apply). Once that population is identified, the BHO must decide whether to review data for that entire population or use a sample of that population. Sampling is acceptable as long as the samples are representative of the identified population (CMS PIP Protocol, page 8). (See Activity V. Valid Sampling Techniques.)

Activity V. Valid Sampling Techniques

If the BHO uses a sample to select consumers for the study, proper sampling techniques are necessary to provide valid and reliable (and, therefore, generalizable) information on the quality of care provided. When conducting a study designed to estimate the rates at which certain events occur, the sample size has a large impact on the level of statistical confidence in the study estimates. Statistical confidence is a numerical statement of the probable degree of certainty or accuracy of an estimate. In some situations, it expresses the probability that a difference could be due to chance alone. In other applications, it expresses the probability of the accuracy of the estimate. For example, a study may report that a disease is estimated to be present in 35 percent of the population. This estimate might have a 95 percent level of confidence, plus or minus 5 percentage points, implying a 95 percent certainty that between 30 percent and 40 percent of the population has the disease.

The true prevalence or incidence rate for the event in the population may not be known the first time a topic is studied. In such situations, the most prudent course of action is to assume that a maximum sample size is needed to establish a statistically valid baseline for the project indicators (CMS PIP Protocol, page 9).



Activity VI. Accurate/Complete Data Collection

Procedures used by the BHO to collect data for its PIP must ensure that the data collected on the study indicators are valid and reliable. Validity is an indication of the accuracy of the information obtained. Reliability is an indication of the repeatability or reproducibility of a measurement. The BHO should employ a data collection plan that includes:

- Clear identification of the data to be collected.
- Identification of the data sources and how and when the baseline and repeat indicator data will be collected.
- Specification of who will collect the data.
- Identification of instruments used to collect the data.

When data are collected from automated data systems, development of specifications for automated retrieval of the data should be devised. When data are obtained from visual inspection of medical records or other primary source documents, several steps should be taken to ensure the data are consistently extracted and recorded:

- 1. The key to successful manual data collection is in the selection of the data collection staff. Appropriately qualified personnel with conceptual and organizational skills should be used to abstract the data. However, their specific skills should vary depending on the nature of the data collected and the degree of professional judgment required. For example, if data collection involves searching throughout the medical record to find and abstract information or judge whether clinical criteria were met, experienced clinical staff members, such as registered nurses, should collect the data. However, if the abstraction involves verifying the presence of a diagnostic test report, trained medical assistants or medical records clerks may be used.
- 2. Clear guidelines for obtaining and recording data should be established, especially if multiple reviewers are used to perform this activity. The BHO should determine the necessary qualifications of the data collection staff before finalizing the data collection instrument. An abstractor would need fewer clinical skills if the data elements within the data source are more clearly defined. Defining a glossary of terms for each project should be part of the training of abstractors to ensure consistent interpretation among project staff members.
- 3. The number of data collection staff members used for a given project affects the reliability of the data. A smaller number of staff members promote interrater reliability; however, it may also increase the amount of time it takes to complete this task. Intrarater reliability (i.e., reproducibility of judgments by the same abstractor at a different time) should also be considered (CMS PIP Protocol, page 12).

Activity VII. Appropriate Improvement Strategies

Real, sustained improvements in care result from a continuous cycle of measuring and analyzing performance and developing and implementing systemwide improvements in care. Actual improvements in care depend far more on thorough analysis and implementation of appropriate solutions than on any other steps in the process.



An improvement strategy is defined as an intervention designed to change behavior at an institutional, practitioner, or consumer level. The effectiveness of the intervention activity or activities can be determined by measuring the BHO's change in performance according to predefined quality indicators. Interventions are key to an improvement project's ability to bring about improved health care outcomes. The BHO must identify and develop appropriate interventions for each PIP to ensure the likelihood of measurable change.

If repeated measurements of quality improvement (QI) indicate that QI actions were not successful (i.e., the QI actions did not achieve significant improvement), the problem-solving process begins again with data analysis to identify possible causes, propose and implement solutions, and so forth. If QI actions were successful, the new processes should be standardized and monitored (CMS PIP Protocol, page 16).

Activity VIII. Sufficient Data Analysis and Interpretation

Review of the BHO data analysis begins with examining the BHO's calculated plan performance on the selected clinical or nonclinical indicators. The review examines the appropriateness of, and the BHO's adherence to, the statistical analysis techniques defined in the data analysis plan (CMS PIP Protocol, page 17).

Activity IX. Real Improvement Achieved

When a BHO reports a change in its performance, it is important to know whether the reported change represents real change, is an artifact of a short-term event unrelated to the intervention, or is due to random chance. The external quality review organization (EQRO) will need to assess the probability that reported improvement is actually true improvement. This probability can be assessed in several ways, but is most confidently assessed by calculating the degree to which an intervention is statistically significant. While the protocol for this activity does not specify a level of statistical significance that a reported change in performance must meet, it does require that EQROs assess the extent to which any performance changes reported by a BHO can be found to be statistically significant. States may choose to establish their own numerical thresholds for the significance of reported improvements (CMS PIP Protocol, page 18).

Activity X. Sustained Improvement Achieved

Real change results from changes in the fundamental processes of health care delivery. Such changes should result in sustained improvements. In contrast, a spurious, one-time improvement can result from unplanned accidental occurrences or random chance. If real change has occurred, the BHO should be able to document sustained improvement (CMS PIP Protocol, page 19).



Appendix C. Definitions and Explanations by Activity for Colorado Health Partnerships, LLC

This document was developed by HSAG as a resource to assist BHOs in understanding the broad concepts in each activity related to PIPs. The specific concept is delineated in the left column, and the explanations and examples are provided in the right column.

Concepts	Definitions and Explanations		
Activity I. Appropriate Study Topic			
Broad spectrum of care	 Clinical focus areas: Includes prevention and care of acute and chronic conditions and high-volume/high-risk services. High-risk procedures may also be targeted (e.g., care received from specialized centers). Nonclinical areas: Continuity or coordination of care addressed in a manner in which care is provided from multiple providers and across multiple episodes of care (e.g., disease-specific or condition-specific care). 		
Eligible population	May be defined as consumers who meet the study population parameters.		
Selected by the State	• If the study topic was selected by the state Medicaid agency, this information is included as part of the description under Activity I: "Choose the Selected Study Topic" in the PIP Summary Form.		
Activity II. Clearly Define	ed, Answerable Study Question		
Study question	• The question(s) directs and maintains the focus of the PIP and sets the framework for data collection, analysis, and interpretation. The question(s) must be measurable and clearly defined.		
	• Examples:		
	 Does educational outreach about immunizations increase the rates of immunizations for children 0–2 years of age? 		
	2. Does increasing flu immunizations for consumers with chronic asthma impact overall health status?		
	3. Will increased planning and attention to follow-up after inpatient discharge improve the rate of mental health follow-up services?		



Concepts	Definitions and Explanations
Activity III. Clearly Defin	ed Study Indicator(s)
Study indicator	 A quantitative or qualitative characteristic reflecting a discrete event or status that is to be measured. Indicators are used to track performance and improvement over time. Example: The percentage of enrolled consumers who were 12–21 years of age who had at least one comprehensive well-care visit with a primary care practitioner or an obstetrician-gynecologist during the measurement year.
Sources identified	 Documentation/background information that supports the rationale for the study topic, study question, and indicators. Examples: HEDIS^{®1} measures, medical community practice guidelines, evidence-based practices, or provider agreements.
	 Practice guideline examples: American Academy of Pediatrics and American Diabetes Association.
Activity IV. Use a Repres	sentative and Generalizable Study Population
Eligible population	 Refers to consumers who are included in the study. Includes age, conditions, enrollment criteria, and measurement periods. Example: The eligible population includes all children 0–2 years of age as of December 31 of the measurement period, with continuous enrollment and no more than one enrollment gap of 30 days or less.
Activity V. Valid Samplin	ng Techniques
True or estimated frequenc of occurrence	This may not be known the first time a topic is studied. In this case, the BHO should assume the need for a maximum sample size to establish a statistically valid baseline for the study. HSAG will review whether the BHO defined the impact the topic has on the population or the number of eligible consumers in the population.
Sample size	Indicates the size of the sample to be used.
Representative sample	Refers to the sample reflecting the entire population.
Confidence level	• Statistical confidence is a numerical statement of the probable degree of certainty or accuracy of an estimate (e.g., 95 percent level of confidence with a 5 percent margin of error).

 $^{^{1}\,\}textbf{HEDIS}^{\textcircled{\tiny{0}}} \text{ is a registered trademark of the National Committee for Quality Assurance (NCQA)}.$



Concepts	Definitions and Explanations
Activity VI. Accurate/Comp	olete Data Collection
Data elements	• Identification of data elements includes unambiguous definitions of data that will be collected (e.g., the numerator/denominator, laboratory values).
Interrater reliability (IRR)	 The HSAG review team evaluates if there is a tool, policy, and/or process in place to verify the accuracy of the data abstracted. Is there an over-read (IRR) process for the review of a minimum percentage of records? Examples: A policy that includes how IRR is tested, documentation of
Algorithms	 The development of any systematic process that consists of an ordered sequence of steps. Each step depends on the outcome of the previous step. The HSAG review team expects for the BHO to describe the process used in data collection. What are the criteria (e.g., what Current Procedural Terminology and/or source codes were used)?
Data completeness	• For the purposes of PIP scoring, data completeness refers to the degree of complete administrative data (e.g., encounter data or claims data). BHOs that compensate their providers on a fee-for-service basis require a submission of claims for reimbursement. However, providers generally have several months before they must submit the claim for reimbursement, and processing claims by the health plan may take several additional months, creating a claims lag. Providers paid on a capitated or salaried basis do not need to submit a claim to be paid, but should provide encounter data for the visit. In this type of arrangement, some encounter data may not be submitted.
	• PIPs that use administrative data need to ensure that the data has a high degree of completeness prior to its use. Evidence of data completeness levels may include claim processing lag reports, trending of provider submission rates, policies and procedures regarding timeliness requirements for claims and encounter data submission, encounter data submission studies, and comparison reports of claims/encounter data versus medical record review. Discussion in the PIP should focus on evidence at the time the data was collected for use in identifying the population, sampling, and/or calculation of the study indicators. Statements such as, "Data completeness at the time of the data pull was estimated to be 97.8 percent based on claims lag reports (see attached Incurred But Not Reported report)," along with the attachment mentioned, usually (but not always) are sufficient evidence to demonstrate data completeness.



Concepts	Definitions and Explanations
Activity VII. Appropriate Im	provement Strategies
Causes and barriers	 Interventions for improvement are identified through evaluation or barrier analysis. If there is no improvement, what problem-solving processes are put in place to identify possible causes and proposed changes to implement solutions? It is expected that interventions associated with improvement of quality indicators will be system interventions.
Standardized	 If the interventions result in successful outcomes, the interventions should continue and the BHO should monitor them to ensure that the outcomes remain. Examples: If an intervention is the use of practice guidelines, then the BHO continues to use them. If mailers are a successful intervention, then the BHO continues the mailings and monitors the outcomes.
Activity VIII. Sufficient Data	Analysis and Interpretation
Analysis plan	 Each study should have a plan for how data analysis will occur. The HSAG review team will ensure that this plan was followed.
Generalization to the study population	Study results can be applied to the general population with the premise that comparable results will occur.
Factors that threaten internal and external validity	 Did the analysis identify any factors (internal or external) that would threaten the validity of study results? Example: There was a change in record extraction (e.g., a vendor was hired or there were changes in HEDIS methodology).
Presentation of the data analysis	• Results should be presented in tables or graphs with measurement periods, results, and benchmarks clearly identified.
Identification of initial measurement and remeasurement of study indicators	Clearly identify in the report which measurement period the indicator results reflect.
Statistical differences between initial measurement and remeasurement periods	• The HSAG review team looks for evidence of a statistical test (e.g., a <i>t</i> test or Chi-square test).
Identification of the extent to which the study was successful	 The HSAG review team looks for improvement over several measurement periods. Both interpretation and analysis should be based on continuous improvement philosophies, with the BHO documenting data results and the follow-up steps that will be taken for improvement.



Concepts	Definitions and Explanations		
Activity IX. Real Improvement Achieved			
Remeasurement methodology is the same as baseline	The HSAG review team looks to see that the study methodology remains the same for the entire study.		
Documented improvement in processes or outcomes of care	 The study should document how interventions were successful in impacting system processes or outcomes. Examples: There was a change in data collection or a rate increase or decrease demonstrated in graphs/tables. 		
Activity X. Sustained Improvement Achieved			
Sustained improvement	• The HSAG review team looks to see if study improvements have been sustained over the course of the study. This needs to be demonstrated over a period of several (more than two) remeasurement periods.		