



imeji

Ein wissenschaftliches Bilddaten Repository mit dedizierter Metadaten Verwaltung




Wissenschaftliche Bilddaten

- Verkörpern reale Artefakte
- Vermitteln und enthalten Wissen
- ABER beinhalten zugleich eigene Aussagen und Eigenschaften

Wissenschaftliche Bilddaten

- Verkörpern reale Artefakte
- Vermitteln und enthalten Wissen
- ABER beinhalten zugleich eigene Aussagen und Eigenschaften




Wissenschaftliche Bilddaten

- Verkörpern reale Artefakte
- Vermitteln und enthalten Wissen
- ABER beinhalten zugleich eigene Aussagen und Eigenschaften



Wissenschaftliche Bilddaten

- Verkörpern reale Artefakte
- Vermitteln und enthalten Wissen
- ABER beinhalten zugleich eigene Aussagen und Eigenschaften



Wissenschaftliche Bilddaten

- Verkörpern reale Artefakte
- Vermitteln und enthalten Wissen
- ABER beinhalten zugleich eigene Aussagen und Eigenschaften






Die imeji Software

- Hervorgegangen aus dem FACES Projekt
- Open Source
- Basierend auf der service-orientierten Architektur von eSciDoc

Die imeji Software – Überblick Funktionalitäten


Bilder Upload




The screenshot displays the imeji web interface. At the top left is the 'imeji' logo. To the right is a search bar with a magnifying glass icon, a 'Go' button, and a link to 'Advanced Search'. Below the search bar are radio buttons for 'Images' (selected) and 'Collections'. A navigation menu includes 'HOME', 'IMAGES', 'COLLECTIONS', and 'ALBUMS'. Underneath, there are links for 'Collection Startpage', 'View images', 'Collection metadata', and 'Image Upload'. The main content area features the title 'Bauhaus Architektur'. Below the title is a breadcrumb trail: 'History: Upload in collection id 181 / Upload in collection id 179 / Collections / Collection id 181 / Upload in collection id 181 /'. The central part of the interface is a 'Select files' dialog box. It contains the instruction 'Add files to the upload queue and click the start button.' and a table with columns 'Filename', 'Size', and 'Status'. Below the table is a large grey area with the text 'Drag files here.' and a preview of a file (a building image) with a blue square containing the number '9'. A button labeled '→ Verschieben' is positioned below the preview. At the bottom of the dialog box, there are buttons for 'Add files' and 'Start upload', and a progress indicator showing '0 b' and '0%'.

Die imeji Software – Überblick Funktionalitäten

Metadaten Editor



The screenshot shows the 'Edit Bauhaus Architektur Metadata Profil' page in the imeji application. The interface is dark-themed with green accents. At the top, there is a search bar and navigation links for 'HOME', 'IMAGES', 'COLLECTIONS', and 'ALBUMS'. Below the title, there are links for 'Collection Startpage', 'View Images', 'Collection metadata', and 'Image Upload'. The main area is titled 'Metadata Profile' and contains five metadata entry forms. Each form has a 'Type' dropdown, a 'Label' text field, and a 'Language' dropdown. The entries are: 1. Type: Person, Label: Fotograf, Language: de - German. 2. Type: Geolocation, Label: Ort des Objektes, Language: de - German. 3. Type: Person, Label: Architekt, Language: de - German. 4. Type: Text, Label: Bildtitel, Language: de - German. 5. Type: Date, Label: Datum der Aufnahme, Language: de - German. Each form includes 'Add label', 'Add vocabulary', and 'Add predefined values' buttons, as well as 'Remove metadata' and 'Add metadata' options. There are also checkboxes for 'multiple' and 'Use as image caption'.



The screenshot shows the 'Edit Images' page in the imeji application. The interface is dark-themed with green accents. At the top, there is a search bar and navigation links for 'HOME', 'IMAGES', 'COLLECTIONS', and 'ALBUMS'. Below the title, there is a 'History' section showing 'Album: Bauhaus in Berlin (3)', 'Collection: Bauhaus in Berlin', and 'Images of collection: Bauhaus in Berlin'. The main area is titled 'Edit Images' and contains a 'Select metadata element' dropdown menu set to 'Fotograf'. Below this, there are several input fields for metadata: Family name, Given name, Alternative name, Identifier, and Organization. There are also checkboxes for 'Add only when value is empty' and 'Overwrite all values'. At the bottom, there are buttons for 'Clear all', 'Reset changes', 'Cancel', and 'Save'. On the left side, there are two small image thumbnails.

Die imeji Software – Überblick Funktionalitäten

Anzeige



imeji Advanced Search
 Images Collections

HOME IMAGES COLLECTIONS ALBUMS
 Collection Startpage View Images Collection metadata Image Upload
 Share collection Publish Delete

Bauhaus Architektur


History: Image Id 184 / Image Id 183 / Image Id 182 / Image Id 183 / Collection Id 181 /



[View all images of the collection](#)

Bauhaus Architektur

"Das Staatliche Bauhaus wurde 1919 von Walter Gropius in Weimar als Kunstschule gegründet. Nach Art und Konzeption war es damals etwas völlig Neues. Das historisch stellt heute die einflussreichste Bildungsstätte im Bereich der Architektur, der Kunst und des Designs dar. Das Bauhaus bestand von 1919 bis 1933 und gilt heute weltweit als Heimstätte der Avantgarde der klassischen Moderne auf allen Gebieten der freien und angewandten Kunst. Die Resonanz des Bauhauses hält bis heute an und prägt die Bild deutscher Entwürfe im Ausland." [http://de.wikipedia.org/wiki/Bauhaus]



imeji Advanced Search
 Images Collections

HOME IMAGES COLLECTIONS ALBUMS
 Collection Startpage View Images Collection metadata Image Upload

Detail View

◀ Previous Image Next Image ▶

History: Image Id 182 / Image Id 183 / Collection Id 181 / Images of collection id 181 / Image Id 182 /
 Back to images of the collection Selected (0)



Selected

[View metadata](#) | [View technical metadata](#)

Metadata	Filename	800px-The_new_restaurant_at_the_Halle-Leipzig_airport.jpg
Edit	Collection	Bauhaus Architektur
	Fotograf	Koch, Heinrich ()
	Ort des Objektes	Flughafen Halle/Leipzig (12,217782/51,422139) View in Google maps
	Architekt	Wittwer, Hans ()
	Bildtitel	Neues Restaurant auf dem Flughafen Halle/Leipzig
	Datum der Aufnahme	1934
	Fertigstellung des Objektes	1931
	Ort der Kamera	Flughafen Halle/Leipzig (12,217777/51,422145) View in Google maps



imeji Advanced Search
 Images Collections

HOME IMAGES COLLECTIONS ALBUMS
 Album Startpage View Images Album metadata
 Share album Publish Delete

Bauhaus Architektur vor 1960

History: Image Id 184 / Image Id 183 / Image Id 182 / Image Id 183 / Album Id 181 /



[View all images of the album](#)

Bauhaus Architektur vor 1960

Dieser Album enthält die Bilder der Collection "Bauhaus Architektur", die vor dem Jahre 1960 entstanden sind.



imeji Advanced Search
 Images Collections

HOME IMAGES COLLECTIONS ALBUMS
 Album Startpage View Images Album metadata
 Share album Publish Delete

Bauhaus Architektur in Berlin

History: Collection Id 181 / Image Id 182 / Album Id 181 /




[View all images of the album](#)

Bauhaus Architektur in Berlin

Dieser Album enthält die Bilder der Collection "Bauhaus Architektur" die in Berlin entstanden sind.

Die imeji Software – Überblick Funktionalitäten

Erweiterte Suche



The screenshot shows the 'imeji' Advanced Search interface. At the top left is the 'imeji' logo. To the right is a search bar with a magnifying glass icon, a 'Go' button, and a link to 'Advanced Search'. Below the search bar are radio buttons for 'Images' (selected) and 'Collections'. A navigation menu includes 'HOME', 'IMAGES', 'COLLECTIONS', and 'ALBUMS'. The main heading is 'Advanced Search'. Below it, the search query is displayed: 'Search query: (collection = id 181 AND person = schober)'. A breadcrumb trail reads: 'History: Infos of collection id 181 / Albums / Collections / Collection id 181 / Advanced Search /'. The search criteria are organized into two sections. The first section contains three rows of criteria: 1) 'Bauhaus Architektur' (dropdown), 'Fotograf' (dropdown), and 'and' (operator) leading to 'schober' (text input). 2) 'Ort des Objektes' (dropdown), 'not' (operator) leading to 'berlin' (text input). 3) 'Architekt' (dropdown) leading to 'wasili müller' (text input). Each text input has a 'reset' icon. The second section is separated by an 'OR' label and contains two criteria: 'Workshop pictures' (dropdown) and 'Place' (dropdown) leading to an empty text input, also with a 'reset' icon. At the bottom left is a 'Clear all values' button, and at the bottom right is a 'Search' button.

Die imeji Software – Überblick Funktionalitäten

Dissimination

dev-faces.mpg.de/export/Format.rdf?ts=15000&cols=12&types=image&cp

Mit dieser XML-Datei sind anscheinend keine Style-Informationen verknüpft. Nachfolgend wird die Baum-Ansicht des Dokuments angezeigt.

```

- <rdf:RDF>
- <imeji:image rdf:about="http://imeji.mpg.de/image/13">
- <imeji:properties>
  <imeji:createdBy rdf:resource="http://xmlns.com/foaf/0.1/Person/kleinfischer*40mpd.mpg.de/">
  <imeji:creationDate>2011-12-07T10:27:04.699Z</imeji:creationDate>
  <imeji:lastModificationDate>2011-12-07T10:27:04.699Z</imeji:lastModificationDate>
  <imeji:modifiedBy rdf:resource="http://xmlns.com/foaf/0.1/Person/kleinfischer*40mpd.mpg.de/">
  <imeji:status rdf:resource="http://imeji.mpg.de/status/RELEASED"/>
  <imeji:version>0</imeji:version>
  <imeji:properties>
  <imeji:collection rdf:resource="http://imeji.mpg.de/collection/12"/>
  <imeji:esdocId>esdoc:13435</imeji:esdocId>
  <imeji:filename>76.JPG</imeji:filename>
  <imeji:fullImageUri rdf:resource="http://latest-coreservice.mpg.de:8080/ir/item/esdoc:13435/components/compon
- <imeji:metadataSet>
  <imeji:profile rdf:resource="http://imeji.mpg.de/indprofile/11"/>
- <imeji:metadata>
  <imeji:metadata:ns rdf:resource="http://imeji.mpg.de/indprofile/11/Title"/>
  <imeji:complexTypes rdf:resource="http://imeji.mpg.de/complexTypes/NUMBER"/>
  <imeji:metadata:number>1.0</imeji:metadata:number>
  <imeji:metadata>
- <imeji:metadata>
  <imeji:metadata:text>Nice lamps</imeji:metadata:text>
  <imeji:metadata:ns rdf:resource="http://imeji.mpg.de/indprofile/11/Title"/>
  <imeji:complexTypes rdf:resource="http://imeji.mpg.de/complexTypes/TEXT"/>
- <imeji:metadata>
  <imeji:metadata:text>lamp, color</imeji:
  <imeji:metadata:ns rdf:resource="http://in
  <imeji:complexTypes rdf:resource="http://
- <imeji:metadata>
  <imeji:metadata:text>Vietnam</imeji:met
  <imeji:metadata:ns rdf:resource="http://in
  <imeji:complexTypes rdf:resource="http://
- <imeji:metadata>
  <imeji:metadata:text>Vietnam</imeji:met
  <imeji:metadata:ns rdf:resource="http://in
  <imeji:complexTypes rdf:resource="http://
  <imeji:metadata:date>2009-02-25</imeji
  <imeji:metadata:dateTime>12355164000
  <imeji:metadata>
  <imeji:metadata:Set>
  <imeji:thumbImageUri rdf:resource="http://
  <imeji:visibility rdf:resource="http://imeji.mpg.de
  <imeji:webImageUri rdf:resource="http://latest-coreservice.mpg.de:8080/ir/item/esdoc:13435/components/component/esdoc:13433/content"/>
- <imeji:image>
- <imeji:image rdf:about="http://imeji.mpg.de/image/14">
- <imeji:properties>
  <imeji:createdBy rdf:resource="http://xmlns.com/foaf/0.1/Person/kleinfischer*40mpd.mpg.de/">

```

dev-faces.mpg.de/fledgeddata/oi/ai/verbs/identify

Mit dieser XML-Datei sind anscheinend keine Style-Informationen verknüpft. Nachfolgend wird die Baum-Ansicht des Dokuments angezeigt.

```

- <OAI-PMH xsi:schemaLocation="http://www.openarchives.org/OAI/2.0/ http://www.openarchives.org/OAI/2.0/OAI-PMH.xsd">
  <responseDate>2012-03-29T09:32:05Z</responseDate>
  <request verb="Identify">http://localhost:8080/fledgeddata/oi/ai/request</request>
- <Identify>
  <repositoryName>imeji</repositoryName>
  <baseURL>http://localhost:8080/fledgeddata/oi/ai/baseURL</baseURL>
  <protocolVersion>2.0</protocolVersion>
  <adminEmail>kleinfischer@mpd.mpg.de</adminEmail>
  <earliestDatestamp>[datetime stamp of earliest]</earliestDatestamp>
  <deletedRecord>[no/transient/persistent]</deletedRecord>
- <description>
  <oi-identifier xsi:schemaLocation="http://www.openarchives.org/OAI/2.0/oi-identifier http://www.openarchives.org/OAI/2.0/oi-identifier.xsd">
    <scheme>oi/ai/scheme</scheme>
    <repositoryIdentifier>
    <delimiter></delimiter>

```

dev-faces.mpg.de/fledgeddata/sitemap.xml

Mit dieser XML-Datei sind anscheinend keine Style-Informationen verknüpft. Nachfolgend wird die Baum-Ansicht des Dokuments angezeigt.

```

- <sitemapindex xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9 http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
  <sitemap>
  <loc>http://localhost:8080/fledgeddata/sitemap1.xml</loc>
  <lastmod>Thu Mar 15 10:07:19 CET 2012</lastmod>
  </sitemap>
  </sitemap>
  <loc>http://localhost:8080/fledgeddata/sitemap2.xml</loc>
  <lastmod>Thu Mar 15 10:07:19 CET 2012</lastmod>
  </sitemap>
  </sitemap>
  <loc>http://localhost:8080/fledgeddata/sitemap3.xml</loc>
  <lastmod>Thu Mar 15 10:07:19 CET 2012</lastmod>
  </sitemap>
  </sitemapindex>

```

Die imeji Software – Weitere Informationen

<http://colab.mpdl.mpg.de/mediawiki/Imeji-Community>

<http://imeji.org/>

kleinfercher@mpdl.mpg.de